

Contents

Letters to the Editor

- Could Type I planetary nebulae be subdivided?
Faúndez-Abans M., de Oliveira-Abans M., Ormeño M.I.
- Pulsar birth line, appearance line and death line
Qiao G.J., Zhang B.
- Jovian S-bursts: a discussion on the S-burst drift model
Boudjada M.Y., Galopeau P.H.M., Rucker H.O.
- The first images from an optical aperture synthesis array: mapping of Capella with COAST at two epochs
Baldwin J.E., Beckett M.G., Boysen R.C., Burns D., Buscher D.F., Cox G.C., Haniff C.A., Mackay C.D., Nightingale N.S., Rogers J., Scheuer P.A.G., Scott T.R., Tuthill P.G., Warner P.J., Wilson D.M.A., Wilson R.W.
- Speckle-masking imaging polarimetry of η Carinae: evidence for an equatorial disk
Falcke H., Davidson K., Hofmann K.-H., Weigelt G.
- X-ray-induced chemistry of interstellar clouds
Lepp S., Dalgarno A.
- The Ca^+ abundance of HVC complex C
Wakker B.P., van Woerden H., Schwarz U.J., Peletier R.F., Douglas N.G.
- Discovery of the first extragalactic SiO maser
van Loon J.T., Zijlstra A.A., Bujarrabal V., Nyman L.-Å.
- PG 0009+036: a rapidly rotating normal B star in the galactic halo
Schmidt J.H.K., de Boer K.S., Heber U., Moehler S.
- HD 187885 and s-process elements in high galactic latitude supergiants
Van Winckel H., Waelkens C., Waters L.B.F.M.
- CO lines from giant arcs in clusters
Casoli F., Encarnaz P., Fort B., Boissé P., Mellier Y.
- Ionized gas in early-type galaxies: its effect on Mg b and other stellar line-strength indices
Goudfroy P., Emsellem E.
- Evidence against the association of PSR B1706-44 with SNR G343.1-2.3
Nicastro L., Johnston S., Koribalski B.
- Erratum (Letter): Method for organizing the multiwavelength data of radio-loud active galactic nuclei
Schlickeiser R., Dermer C.D.

Cosmology

- Correlation function as a measure of the structure
Buryak O., Doroshkevich A. 1
- Extragalactic astronomy**
- Planetary nebulae and HII regions in NGC 300
Soffner T., Méndez R.H., Jacoby G.H., Ciardullo R., Roth M.M., Kudritzki R.P. 9
- 3C 345: the variable component responsible for brightness increase of the object in the near-IR and optical regions in the early 1990's
Hagen-Thorn V.A., Marchenko S.G., Takalo L.O., Sillanpää A. 23
- The intraday variable quasar 0917+624: VLBI and X-ray observations
Standke K.J., Quirrenbach A., Krichbaum T.P., Witzel A., Otterbein K., Alef W., Eckart A., Alberdi A., Marcaide J.M., Ros E., Lesch H., Steffen W., Kraus A., Zensus J.A. 27
- Environment of Seyfert 2 galaxies: the group of galaxies around NGC 5252
Freudling W., Almudena Prieto M. 39
- The optical cut-off source 0500+019: A background quasar seen through a foreground galaxy?
Stickel M., Rieke M.J., Rieke G.H., Kühr H. 49
- The properties of BL Lacertae objects
Fan J.H., Xie G.Z. 55
- Star formation and dust extinction in disk galaxies. Comparison between the UV non-ionizing and the FIR emissions
Buat V., Xu C. 61
- Magnetic fields and hot gas in the spiral galaxy NGC 1566 as derived from ATCA radio polarization and ROSAT X-ray observations
Ehle M., Beck R., Haynes R.F., Vogler A., Pietsch W., Elmouttie M., Ryder S. 73
- Pair annihilation radiation from relativistic jets in γ -ray blazars
Böttcher M., Schlickeiser R. 86
- Spectroscopy of circumnuclear and extranuclear emission line regions in Seyfert galaxies. I. NGC 1667
Radovich M., Rafanelli P. 97
- The prodigious warp of NGC 4013. III. Analysis of the structure and kinematics
Bottema R. 345

The internal dynamics of very flattened normal galaxies.
Stellar distribution functions for NGC 4697

Dejonghe H., De Bruyne V., Vauterin P., Zeilinger W.W. 363

Spatial source distribution of bulges from surface photometry: application to NGC 2841

Varela A.M., Muñoz-Tuñón C., Simmoneau E. 381

Apparent contraction in the mas radio structure of the 'red quasar', Q 0646+600

Akujor C.E., Porcas R.W., Smoker J.V. 391

The optical variability of QSOs

Cristiani S., Trentini S., La Franca F., Aretxaga I., Andreani P., Vio R., Gemmo A. 395

A quantitative model of the FIR/radio correlation for normal late-type galaxies

Lisenfeld U., Völk H.J., Xu C. 677

Observational constraints on the nature of low redshift Ly α absorbers

Le Brun V., Bergeron J., Boissé P. 691

A high-frequency radio continuum investigation of giant radio galaxies. II. Observations of four objects at 2.8 cm wavelength

Saripalli L., Mack K.-H., Klein U., Strom R., Singal A.K. 708

Velocities of supergiants in the bulge of M 33

Minniti D. 715

CO observations of the spiral galaxy NGC 3627

Reuter H.-P., Sievers A.W., Pohl M., Lesch H., Wielebinski R. 721

Erratum: The three rings of the isolated galaxy NGC 7217

Verdes-Montenegro L., Bosma A., Athanassoula E. 1011

Galactic structure and dynamics

Reddening at the North Galactic Pole: cosecant variation, $A_B = 0.0$ or $A_B = 0.2$?

Knude J. 108

A search for star formation around the Galactic halo B-type star PHL 346

Hambly N.C., Wood K.D., Keenan F.P., Kilkenny D., Dufton P.L., Miller L., Gilmore G., Irwin M.J., Totten E.J. 119

Investigation of the Galactic thick disk from star count surveys by using multivariate data analysis

Chen B. 733

The non-linear galactic dynamo. II. Oscillatory versus steady solutions

Elsner D., Rüdiger G., Schultz M. 740

Stellar clusters and associations

Ultraviolet ages of young clusters in the Magellanic Clouds

Cassatella A., Barbero J., Brocato E., Castellani V., Geyer E.H. 125

NTT V, I and Gunn z colour-magnitude diagrams of Liller 1: a globular cluster as metal-rich as the inner bulge stellar population?

Ortolani S., Bica E., Barbay B. 134

Orbital-phase dependence of globular-cluster tidal radii

Meziane K., Colin J. 747

Formation, structure and evolution of stars

SETI at the spin-flip line frequency of positronium

Mauersberger R., Wilson T.L., Rood R.T., Bania T.M., Hein H., Linhart A. 141

The evaluation of latitudinal differential rotation in active solar-like stars from the analysis of time-variable line profiles

Lanza A.F., Rodonò M. 145

Multicolor photometry and eclipse mapping of OY Carinae in a superoutburst

Bruch A., Beele D., Baptista R. 151

Neutrino heating, convection, and the mechanism of Type-II supernova explosions

Janka H.-T., Müller E. 167

Spectral signatures of the fast optical oscillations in the AM Herculis system AN Ursae Majoris

Bonnet-Bidaud J.M., Mouchet M., Somova T.A., Somov N.N. 199

A wind in the intermediate polar candidate 1 H0551-819?

Mouchet M., Siess L., Drew J., Lasota J.P., Buckley D.A.H., Bonnet-Bidaud J.M. 212

Nonthermal ionization and excitation in Type IIb supernova 1993J

Utrobin V.P. 219

Stationary radiation hydrodynamics of accreting magnetic white dwarfs

Woelk U., Beuermann K. 232

(RN) Photometry and spectroscopy of serendipitous X-ray sources detected by the *Einstein* satellite

Cutispoto G., Tagliaferri G. 278

Erratum: (RN) Limits on convective penetration from stellar cores

Roxburgh I.W. 336

Stellar models with rotation: an exploratory application to pre-main sequence lithium depletion

Martín E.L., Claret A. 408

Fundamental parameters of Cepheids. III. Turbulence variations

Bersier D., Burki G. 417

The photospheres of embedded young stellar objects

Casali M.M., Eiroa C. 427

Asteroseismology of the β Cephei stars. I. 16 (EN) Lacertae

Dziembowski W.A., Jerzykiewicz M. 436

Are the pulses of the Crab pulsar modulated?

Čadež A., Galičič M. 443

A search for arcminute-scale radio jets in Cygnus X-1

Martí J., Rodríguez L.F., Mirabel I.F., Paredes J.M. 449

Differential rotation, circulation and turbulence in radiative zones of stars

Urpín V.A., Shalybkov D.A., Spruit H.C. 455

ROSAT observations of PSR 2334+61 in the supernova remnant G 114.3+0.3

Becker W., Brazier K.T.S., Trümper J. 464

New X-ray sources detected among mild barium and S stars

Jorissen A., Schmitt J.H.M.M., Carquillat J.M., Ginetet N., Bickert K.F. 467

High resolution spectroscopy of symbiotic stars. II. RW Hydrae: orbit, eclipses, and stellar parameters

Schild H., Mürset U., Schmutz W. 477

- RR Lyrae: the zero point of temperature and magnitude scales
De Santis R. 755
- Search for new pulsating OVI central stars of planetary nebulae
Silvotti R., Bartolini C., Stanghellini L. 766
- WR 22: the most massive Wolf-Rayet star ever weighed
Rauw G., Vreux J.-M., Gosset E., Hutsemékers D., Magain P., Rochowicz K. 771
- Existence of a short period (3.5–4 hours) in the photometric variability of WR 66
Rauw G., Gosset E., Manfroid J., Vreux J.-M., Claeskens J.-F. 783
- Orbital modulation in X-rays in supersoft sources
Kahabka P. 795
- Limits on the differential rotation of T Tauri stars
Johns-Krull C.M. 803
- Clues to Type Ia SN progenitors from degenerate carbon ignition models
Bravo E., Tornambé A., Domínguez I., Isern J. 811
- A search for hot post-AGB stars in the IRAS Point Source Catalog
Oudmaijer R.D. 823
- Nonlinear stellar pulsation. III. Fourier decomposition of theoretical RRab models
Feuchtinger M.U., Dorfi E.A. 837
- The influence of gravitational settling and selective radiative forces in PG 1159 stars
Unglaub K., Bues I. 843
- RX J1940.1–1025: a new asynchronous AM Herculis system
Friedrich S., Stauber R., Lamer G., König M., Geckeler R., Büssgen M., Kollatschny W., Östreicher R., James S.D., Sood R.K. 860
- A turn-up in pulsar spectra at mm-wavelengths?
Kramer M., Xilouris K.M., Jessner A., Wielebinski R., Timofeev M. 867
- Multifrequency monitoring of RU Lupi. II. The model
Lamzin S.A., Bisnovatyi-Kogan G.S., Errico L., Giovannelli F., Katysheva N.A., Rossi C., Vittone A.A. 877
- Stellar atmospheres**
- CO and HCN observations of carbon stars
Groenewegen M.A.T., Baas F., de Jong T., Loup C. 241
- Chemical composition of metal-poor carbon stars in the halo
Kipper T., Jørgensen U.G., Klochkova V.G., Panchuk V.E. 489
- Variability of luminous blue variables. II. Parameter study of the typical LBV variations
de Koter A., Lamers H.J.G.L.M., Schmutz W. 501
- Polarimetric versus photometric variability and the density of WR star wind inhomogeneities
Richardson L.L., Brown J.C., Simmons J.F.L. 519
- On the ionization structure of HII regions in stellar envelopes with an outward density decrease
Grachev S.I. 527
- Analytical two-dimensional solutions for hydrodynamic astrophysical flows
Kakouris A., Moussas X. 537
- The extended dust emission around the nova GK Persei
Dougherty S.M., Waters L.B.F.M., Bode M.F., Lloyd H.M., Kester D.J.M., Bontekoe T.R. 547
- Loop modeling of coronal X-ray spectra. I. General properties
Ciaravella A., Peres G., Maggio A., Serio S. 553
- Loop modeling of coronal X-ray spectra. II. Parameter constraints and diagnostics
Maggio A., Peres G. 563
- Stellar winds and the EUV continuum excess of early B-giants
Najarro F., Kudritzki R.P., Cassinelli J.P., Stahl O., Hillier D.J. 892
- Correlated variability in the X-ray and H α emission from the O4If supergiant ζ Puppis
Berghöfer T.W., Baade D., Schmitt J.H.M.M., Kudritzki R.-P., Puls J., Hillier D.J., Pauldrach A.W.A. 899
- Plasmoid formation in a single sheared arcade and application to coronal mass ejections
Amari T., Luciani J.F., Aly J.J., Tagger M. 913
- The optical spectrum of HR 4049 (includes a line identification from 3650 to 10850 Å)
Bakker E.J., Van der Wolf F.L.A., Lamers H.J.G.L.M., Gulliver A.F., Ferlet R., Vidal-Madjar A. 924
- Diffuse matter in space (including HII regions and planetary nebulae)**
- Time variable shocks in the UV: long term IUE monitoring of HH 29
Liseau R., Hultgren M., Fridlund C.V.M., Cameron M. 255
- NH₃ and HCO⁺ towards luminous IRAS sources
Schreyer K., Henning Th., Kömpe C., Harjunpää P. 267
- Dust scattered X-ray haloes as diagnostic tools: potential and current limitations
Predehl P., Klose S. 283
- Cassiopeia A flux density secular decrease of and variations at metre wavelengths
Agafonov M.I. 578
- ROSAT PSPC observations of the supernova remnant MSH 15–52
Trussoni E., Massaglia S., Caucino S., Brinkmann W., Aschenbach B. 581
- Mid-infrared images of young stellar objects with molecular outflows
Persi P., Busso M., Corcione L., Ferrari-Toniolo M., Marenzi A.R. 587
- The near-infrared spectrum of ultracompact HII regions
Armand C., Baluteau J.-P., Joubert M., Gry C., Cox P. 593
- The structure and dynamics of NGC 1333 from ¹³CO and C¹⁸O observations
Warin S., Castets A., Langer W.D., Wilson R.W., Pagani L. 935
- The Sun**
- Temperature and velocity fluctuations in the deeper layers of the solar atmosphere
Vollmöller P., Komm R., Mattig W. 294

- Metric Type III bursts associated with soft X-ray jets
Raulin J.P., Kundu M.R., Hudson H.S., Nitta N., Raoult A. 299
- Numerical modelling of spectral line asymmetries in photospheric structures. II. Plage regions
Márquez I., Bonet J.A., Vázquez M. 305
- Nonlinear magnetohydrodynamics of footpoint-driven coronal loops
Poedts S., Boynton G.C. 610
- (RN)** EUV emission lines of OIV observed in solar spectra by the S-055 instrument on Skylab
O'Shea E., Foster V.J., Keenan F.P., Doyle J.G., Reid R.H.G., Zhang H.L., Pradhan A.K. 621
- Coordinated observations of solar activity phenomena. II. The velocity field pattern in an elementary flare
Cauzzi G., Falchi A., Falciani R., Smaldone L.A. 625
- Phenomena in an emerging active region. I. Horizontal dynamics
Strous L.H., Scharmer G., Tarbell T.D., Title A.M., Zwaan C. 947
- Response functions for the inversion of data from unresolved solar magnetic elements
Bellot Rubio L.R., Ruiz Cobo B., Collados M. 960
- Solar microwave burst classification and correlation with soft X-rays
Pohjolainen S., Valtaoja E., Urpo S. 973
- The solar system**
- The three-dimensional structure of the plasma tail of comet Austin 1990 V
Wegmann R., Schmidt H.U., Bonev T. 638
- Perihelion point preferred direction of long-period comets and the north-south asymmetry of comet discoveries from the Earth's surface
Neslušan L. 981
- Bulk densities of meteoroids
Novikov G.G., Pecina P., Konovalova N.A. 991
- The identification of nebular lines in the spectra of meteor trains
Borovička J., Zimnikoval P., Škvarka J., Rajchl J., Spurný P. 995
- Physical and chemical processes**
- A study of the gravitational wave form from pulsars
Jotania K., Valluri S.R., Dhurandhar S.V. 317
- Neutron star quakes and the origin of the "knee" in the cosmic ray spectrum
Cheng K.S., Chi X. 326
- On the MHD origin of one-sided jets
Chagelishvili G.D., Bodo G., Trussoni E. 329
- Stability of an axisymmetric massive current sheet supported by a potential magnetic field
Lepeltier T., Aly J.J. 645
- Numerical study of the tidal interaction of a star and a massive black hole
Marck J.A., Lioure A., Bonazzola S. 666
- Electron conduction along quantizing magnetic fields in neutron star crusts. I. Theory
Potekhin A.Y. 999
- Abstracts of articles which have been published in A&A Supplement Series 115, No. 1** 340
- The current optical identification status of the S5 radio source catalogue
Stickel M., Kühr H. 340
- Optical identifications of radio sources from the 1 Jy, S4 and S5 catalogues
Stickel M., Kühr H. 340
- Photometric and spectroscopic studies of cool stars discovered in EXOSAT X-ray images. III. Photometric properties
Cutispoto G., Tagliaferri G., Pallavicini R., Pasquini L., Rodonó M. 340
- Measures and discoveries of visual double stars made with the 50 cm refractor at the Nice Observatory (*Text in French*)
Thorel J.-C. 341
- The emission of the RS CVn binaries in the IRAS passbands
Mitrou C.K., Doyle J.G., Mathioudakis M., Antonopoulou E. 341
- Optical astrometry of Benchmark radio sources. III. Positions of 35 southern extragalactic radio sources with respect to the International Reference Stars catalogue
Costa E., Loyola P. 341
- A CS(2-1) survey of IRAS point sources with color characteristics of ultra-compact HII regions
Bronfman L., Nyman L.-Å., May J. 342
- Astrometry with the Digitized Sky Survey. Positions of 790 AGNs
Véron-Cetty M.-P., Véron P. 342
- SiO maser survey of late-type stars. I. Simultaneous observations of six transitions of ^{28}SiO and ^{29}SiO
Cho S.-H., Kaifu N., Ukita N. 342
- Atomic data from the IRON Project. XI. The $^2\text{P}^{\circ}_{\frac{1}{2}} - ^2\text{P}^{\circ}_{\frac{3}{2}}$ fine-structure lines of Ar VI, K VII and Ca VIII
Saraph H.E., Storey P.J. 342
- High angular resolution coronagraphy for adaptive optics
Malbet F. 342
- Magnetic-driven liquid mirrors in orbiting telescopes
Ragazzoni R., Marchetti E., Claudi R.U. 343
- ARNICA, the Arcetri near-infrared camera: astronomical performance assessment
Hunt L.K., Lisi F., Testi L., Baffa C., Borelli S., Maiolino R., Moriondo G., Stanga R.M. 343
- A high-resolution radiospectrograph image reconstruction method
Haindl M., Šimberová S. 343
- Faint object classification using Artificial Neural Networks
Serra-Ricart M., Gaitan V., Garrido Ll., Pérez-Fournon I. 343
- Preview of accepted papers (January 1996)** 1012

